









60Q SYNTHETIC TURF SYSTEM

- 1 Dual Quad Advanced Molecular Structure
- 2 100% Sand Rounded Kiln Dried 20-40 mesh (standard option).
- **③ TITANIUM SHIELD BACKING SYSTEM**

Our premier backing system includes multiple layers for long lasting play and performance.

- **3A.** Woven 13-Pic Polybac to secure fiber retention.
- 3B. Non-Woven 80-Gram Colbond affords maximum dimensional stability.
- **3C.** Woven 5-PIC synthetic layer to enhance seaming properties.
- 4 Premium grade urethane coating to ensure a superior tuft bind.







Instant Lawn - 60 ounce FWT

The 60Q Instant Lawn is part of the TRUE LAWNS collection of landscape turf.



60Q FEATURES











SPECIFICATION	GRASS ZONE	PRODUCT SPECIFICATIONS: TA6044AXIS
FIBER	DUAL QUAD	GRASS ZONE: 60 oz y²/ 2.03 kg m²
FIBER HEIGHT	1.75 INCHES / 44 mm	BACKING: 8 oz y² / 0.27 kg m²
FIBER DENIER	14,000 / 15,555 DTEX	URETHANE BACKING: 26 oz y² / 0.88 kg m²
FIBER MICRONS	335	TOTAL SYSTEM WEIGHT: 94 oz y² / 3.19 kg m²
FILAMENT STRUCTURE	Composite	STANDARD COLOR: INSTANT LAWN

^{*} These specifications are standard and may vary slightly due to manufacturing tolerances or consumer specifications.

GRASS ZONE FIBER COLOR

MICRO BED PS FIBER COLOR







